

# AMA Specifications—Passenger Car

MAKE OF CAR Pontiac MODEL YEAR 1967 DATE ISSUED 12-23-66 REVISED <sup>(1)</sup>

## GENERAL SPECIFICATIONS—DIMENSIONS

(All dimensions in inches unless otherwise indicated)  
(Supplemental data available on request)

MODEL	SAE Ref. No.	FIREBIRD 22337
-------	--------------	----------------

### FRONT COMPARTMENT

Shoulder room	W3	56.7
Hip room	W5	56.3
Max. eff. leg room - accelerator	L34	42.5
Effective head room	H61	37.0
H Point to Heel point	H30	7.7

### REAR COMPARTMENT

Shoulder room	W4	53.6
Hip room	W6	54.6
Minimum effective leg room	L51	29.5
Effective head room	H63	36.7

### LUGGAGE COMPARTMENT

Usable luggage capacity	V1	9.9
Liftover height	H195	29.1
Position of spare tire storage		Flat on Floor
Method of holding lid open		Torsion Bar Counterbalance

### STATION WAGON—THIRD SEAT Station Wagon Not Offered

Hip room	W86	
Effective leg room	L86	
Effective head room	H86	
Seat facing direction		

### STATION WAGON—CARGO SPACE

MODEL	SAE Ref. No.	<u>Station Wagon Not Offered</u>
Minimum distance between wheel houses at floor level	W201	
Rear end opening width at belt	W204	
Floor length from back of front seat at floor level to inside of closed tail gate	L202	
Minimum horizontal distance from top rear of front seat back to inside of tail gate at belt	L204	
Maximum height - floor covering to headlining at centerline of rear axle	H201	
Maximum height of rear opening - tail and lift gates open	H202	
Cargo volume index (cu. ft.)	$\frac{W4 \times L204 \times H201}{1728}$	
	V2	